## SECUPRO MARTEGO

# ALMOST TOO GOOD TO BE TRUE!







### **SECUPRO MARTEGO**

NO. 1220019



Original size



#### Perfect handling

The advantages of the SECUPRO MARTEGO lie in your hands. The ergonomic squeeze-grip, the soft grip for better handling, the "pre-set" cutting edge; these three factors guarantee an ergonomic experience.



#### Change safely

When you need to change the blade, you can do so without any additional tools. Press the blade change button and fold the blue lever out all the way to access the blade.



#### Everything under control

It's all about aluminium.
The powder-coated metal body doesn't only contribute to the SECUPRO MARTEGO's extraordinary design. It also increases robustness and enables the handle to withstand maximum stress.



#### Blade lock for extra protection

Your SECUPRO MARTEGO accompanies you on your job at every cut and turn? Glad to hear it. But always press the blue blade lock when you've finished cutting! This way the blade cannot make a surprise appearance.




#### 4-cutting edge blade


The quality blade, with its four sharp edges, can be rotated multiple times. It's worth it! In the meantime, a relatively small cutting depth protects your goods from unnecessary damage.


#### For highest demands. With ceramic blade.

A cutting tool in which function and design go hand in hand? Meet the SECUPRO MARTEGO, our prize winning squeeze-grip safety knife with fully automatic blade retraction. Get used to the word "very" in its presence: it's very safe, very robust, very ergonomic, very versatile, and made to very high standards. It uses a MARTOR ceramic blade that is extremely sharp and long-lasting.

#### Application







#### Safety technology



Fully automatic blade retraction – a very high degree of safety The fully automatic blade retraction of the SECUPRO MARTEGO guarantees a very high degree of safety from cut injuries. The blade withdraws into the handle immediately after leaving the material being cut. Even when the lever is still being squeezed.

#### **PRODUCT FEATURES**

#### **Technical features**



Very high safety



Tool-less blade change



Very abrasion resistant



Very ergonomic



Safety lock



4-cutting edge blade



Cutting depth



Ceramic



Soft grip



For right and left handers



Printable for promotional purposes

#### Main cutting materials



Cardboard: up to 2-ply



Plastic strapping band



Таре



PVC



Wrapping, stretch and shrink foil



Layers of foil or paper

#### Installed blade



NO. 92C

0.50 mm, ceramic, deepedged

#### Optional blade



**NO. 92** 0.40 mm

**NO. 60092** 0.40 mm, rounded blade tips **NO. 192** 0.40 mm, stainless

#### Certificates and awards







# 07.2021 | Printed in Germany | Subject to technical changes.

# THE PERFECT FIT FOR ALL. DOES THE PERFECT JOB.

#### SECUPRO MARTEGO

- > Ergonomic squeeze-grip
- > With ceramic blade
- > Fully automatic blade retraction
- Well made and cleverly designed, featuring soft-grip
- GS-certified for approved safety

#### PRODUCT DETAILS

Order No.	NO. 1220019.17	
Packaging unit	1 in single unit box (10 in multipack)	
Knife size (L x W x H)	155 x 18 x 48.5 mm	
Main material	Aluminium	
Weight	104.0 g	
Cutting depth	9 mm	
Spare blade Packaging unit Size (L x W x Thickness)	NO. 1792.25 (2 on self-service card) 26 x 18.5 x 0.50 mm	
Certified	GS certificate NO. 178906-7058-55094- 2020	
Accessories		
BELT HOLSTER M WITH CLIP		NO. 9921
USED BLADE CONTAINER		NO. 9810
WALL MOUNT BRACKET USED BLADE CONTAINER		NO. 9845
SAFEBOX		NO. 108000

#### **CONTACT AND SERVICE**

What makes our cutting solutions even safer? Our advisory services! We are always on hand, to give advice, to provide you with training material, to meet with you in person if necessary.

You will find further information on our website: www.martor.com



At a glance: the safety poster shows the most important functions and correct usage – perfect for your workplace.



Everything you want to know: dimensions, properties, special features and more about our cutting tools can be found in the technical data sheet



Still have questions? You can reach our service department on +49 212 73870-0